GMT[™] THE SOLLATEK GLOBAL MOBILE TRACKER (GMT)



Complete asset tracking and monitoring of cooler performance.






The Sollatek Global Mobile Tracker

(GMT) provides essential, accurate and cost effective information to OEM manufacturers.

Antenna

- Dual antenna for both GPRS data tx/rx and GPS position rx.
- · Fits on the outside of the cooler.
- Discrete, low profile design does not attract attention.
- Only 75mm wide and 14mm high.
- Built in low noise amplifier to give improved GPS reception.
- Very tough, robust design to resist vandalism.

General system diagram



Key features:

- Asset tracking and monitoring of cooler performance.
- Receive alarms from coolers and remotely diagnose problems.

THE SOLLATEK

GLOBAL MOBILE TRACKER (GMT)

- Data collection and logging.
- Reduce service calls.
- Anticipate planned service visits.
- Receive traffic/sales information.
- Track cooler location and Geo-fencing.
- Detect shock/tipping and abuse of cooler.



PCB rear view

GMT Mobile Modem

- Tough, splash resistant enclosure fits inside cooler.
- · Sends and receives data to the central monitoring system over the mobile phone network by GPRS.
- Integral SIM card
- Integral microcontroller for intelligent system monitoring and diagnostics.
- Powered from mains supply.
- GPS receiver to find exact cooler location.
- Shock and tilt sensor to detect transport or abuse of cooler.
- Real time clock and data memory to log alarms, location, warnings, etc.
- Battery backup so as to be able to communicate during power cut or if cooler is disconnected. Also allows cooler position to be tracked in the event of theft.
- RS485 expansion port for connection to other devices such as power and kWh sensor or to run a string of coolers.

2





02






Dual Antenna

Central Monitoring System


- Web server connects to each cooler on a regular basis to collect data and check status.
- Logs all data and provides analysis and warnings via tables and graphs.
- Real time maps of cooler geographic locations.
- Secure network to prevent unauthorised access to information.
- User log-ins with passwords and privilege control.



Features

	GMT1	GMT2	GMT3	GMT4
GPRS	1	1	1	1
GPS			1	1
Shock/Tilt				1
Battery	1		1	1
FTO	1	1	1	
RS485	1		\checkmark	
Additional Sensors				1





Screen shot of Cooler Web application



SOLLATEK UK LTD.

Tel: +44 1753 688300

sales@sollatek.com www.sollatek.com

Sollatek (UK) Ltd. Unit 9/10, Newlands Drive, Poyle 14 Industrial Estate, Colnbrook, Slough, Berkshire SL3 ODX UK

Sollatek's **global infrastructure** is delivered through a network with **local presence**

With a customer base across the world and a local presence in more than 50 countries, Sollatek is able to provide support services wherever you are.



Sollatek provides you with full back up support and a two year worldwide warranty on all products, with local support in over twenty countries worldwide.



ISO9001: 2008 accredited company

All weights and dimensions are approximate. Specifications are subject to change without prior notice. @Sollatek (UK) Limited 2012. All Rights Reserved. SOLLATEK and the SOLLATEK device are the trade marks of the Sollatek group of companies.